

# 上海普佳金属制品有限公司

Shanghai Pujia Metal Manufacturing Co.,Ltd.





# Shanghai Pujia Metal Manufacturing Co.,Ltd.

- **Company Introduction:**

- Shanghai Pujia Metal Manufacturing Co., Ltd. is registered in Shanghai.
- The production base is located in Nantong, Jiangsu Province, which is a new enterprise specializing in producing all kinds of pet grooming and veterinary equipment with 100% assured quality and excellent after-sale service.

- **Advantages:**

- 1. Factory China since 2009
- 2. Fast shipment
- 3. OEM&ODM

factory real shot show



# Combined type Stainless steel pet cage pjyy-01



## Features

1. Cage structure is reasonable, super pressure, strong and durable.
2. Unique sliding door lock design, automatic locking, good safety.
3. Pedal mesh and cage door high frequency and high current welding, strong without welding.
4. The whole round corners of the dirt plate are designed, no dead corners are left, convenient washing.
5. Internal seamless water retaining edge, more convenient and sanitary.
6. Lower cage movable drawing board design, drawing board can be turned into a large cage.
7. The bottom moving brake wheel, quiet, wear-resistant, easy to move and fix.
8. Innovative design of cage, exquisite and chic. Optional combination, can be customized.

## Material

304 Stainless Steel

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjyy-01	L1220*D700*H1575	1300*830*1760=1.9m <sup>3</sup>		187

# Stainless steel cage(hospitalization) pjyy-02



## Features

1. The cage structure is reasonable, super-strong and durable.
2. Unique sliding design of door lock, automatic locking, good safety.
3. High frequency and high current welding of pedal grids and cage doors, strong and non-detachable.
4. There is no dead angle in the cage, which is made of full round corners.
5. The lower cage movable drawing board design, the drawing board can be changed into a large cage.
6. Bottom moving brake wheel, silent, wear-resistant, easy to shift and fix.
7. Innovative cage design, exquisite and chic. Random combination, customizable on demand

## Material

304 Stainless Steel

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjyy-02	L1220*D700*H1575	1300*830*1760=1.9m <sup>3</sup>		187

# High-grade stainless steel pet cat cage pjml-01



## Features

1. The cat cage is of reasonable structure, super pressure and durable.
2. Unique sliding mute design, light sound, automatic locking, convenient and safe.
3. Each group has two upper and lower floors, and each floor is equipped with independent leisure area, food area and sanitary area.
4. High strength acrylic drawing board design in the middle, clean and sanitary.
5. No dead Angle design in the cage, made of full rounded corners.
6. Special shock-proof mute paste is affixed on the outside of the cage body, making noise reduction quieter.
7. The bottom moving brake wheel, silent, wear-resistant, easy to shift and fix

## Material

304 Stainless Steel

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjml-01	L1000*D650*H1765	1070*780*1920=1.6m <sup>3</sup>		180

# Novel stainless steel cat cage pjml-02



## Features

1. The cat cage is of reasonable structure, super pressure and durable.
2. Unique sliding mute design, light sound, automatic locking, convenient and safe.
3. High strength acrylic drawing board design in the middle, clean and sanitary.
4. No dead Angle design in the cage, made of full rounded corners.
5. Special shock-proof mute paste is affixed on the outside of the cage body, making noise reduction quieter.
6. The bottom moving brake wheel, silent, wear-resistant, easy to shift and fix

## Material

304 Stainless Steel

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjml-02	L1220*D700*H1575	1300*830*1760=1.9m <sup>3</sup>		187

## 3 layer cat cage



### Features

1. The cat cage is of reasonable structure, super pressure and durable.
2. Unique sliding mute design, light sound, automatic locking, convenient and safe.
3. Each group has two upper and lower floors, and each floor is equipped with independent leisure area, food area and sanitary area.
4. High strength acrylic drawing board design in the middle, clean and sanitary.
5. No dead Angle design in the cage, made of full rounded corners.
6. Special shock-proof mute paste is affixed on the outside of the cage body, making noise reduction quieter.
7. The bottom moving brake wheel, silent, wear-resistant, easy to shift and fix

### Material

304 Stainless Steel

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
	L900*D550*H1830			

# Stainless steel pet display hospitalization cage pjzs-02



## Features

1. The cage body is reasonable in structure, strong and durable in bearing.
2. Unique sliding door lock design, automatic locking, good safety.
3. Pedal mesh and cage door high frequency and high current welding, strong without welding.
4. The whole round corners of the dirt plate are designed, no dead corners are left, convenient washing.
5. The internal seamless waterside is more convenient and sanitary.
6. Lower cage movable drawing board design drawing board can be turned into a large cage.
7. The bottom moving brake wheel is silent, wear-resistant, convenient to shift and fix.
8. Innovative design of cage, exquisite and chic. Optional combination, can be customized

## Material

304 Stainless Steel

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjzs-02	L1220*D700*H2185	1300*830*1745=1.88m <sup>3</sup>		207
		1300*830*770=0.83m <sup>3</sup>		110

# Pet hospital oxygen cage power version Pjdy-01



## Features

1. PET Bottle Making Machine is suitable for producing PET plastic containers and bottles in all shapes.
2. Unique sliding door lock design, automatic locking, good safety.
3. Pedal mesh and cage door high frequency and high current welding, strong without welding.
4. The whole round corners of the dirt plate are designed, no dead corners are left, convenient washing.
5. Internal seamless water retaining edge, more convenient and sanitary.
6. Lower cage movable drawing board design, drawing board can be turned into a large cage.
7. The bottom moving brake wheel, silent, wear-resistant, easy to shift and fix.
8. Innovative design of cage, exquisite and chic. Optional combination, can be customized.
9. Equipped with oxygen cabin door, 16-bit power interface, oxygen transmission hole position, dry and wet temperature display, leakage protection.

## Material

304 Stainless Steel

Item	Dimention		N.W	G.W
	Stand(cm)	Package(cm)	kg	
Pjdy-01	L1220*D700*H1575	1300*830*1760=1.9m <sup>3</sup>		222

# Pet hospital cage power version Pjdy-02

不锈钢住院电源版 pjdy-02



## Features

1. PET Bottle Making Machine is suitable for producing PET plastic containers and bottles in all shapes.
2. Unique sliding door lock design, automatic locking, good safety.
3. Pedal mesh and cage door high frequency and high current welding, strong without welding.
4. The whole round corners of the dirt plate are designed, no dead corners are left, convenient washing.
5. Internal seamless water retaining edge, more convenient and sanitary.
6. Lower cage movable drawing board design, drawing board can be turned into a large cage.
7. The bottom moving brake wheel, silent, wear-resistant, easy to shift and fix.
8. Innovative design of cage, exquisite and chic. Optional combination, can be customized.

## Material

304 Stainless Steel

Item	Dimention		N.W	G.W
	Stand(cm)	Package(cm)	kg	
Pjdy-02	L1220*D700*H1575	1300*830*1760=1.9m <sup>3</sup>		220

# Stainless steel therapy oxygen cage for pet Pjdy-03

## Features

1. Unique sliding door lock design, automatic locking, good safety.
2. Pedal mesh and cage door high frequency and high current welding, strong without welding.
3. The whole round corners of the dirt plate are designed, no dead corners are left, convenient washing.
4. Internal seamless water retaining edge, more convenient and sanitary.
5. Lower cage movable drawing board design, drawing board can be turned into a large cage.
6. The bottom moving brake wheel, silent, wear-resistant, easy to shift and fix.
7. Innovative design of cage, exquisite and chic. Optional combination, can be customized.
8. Equipped with warm light, oxygen door, 16-bit power interface, wet and dry temperature display, leakage protection.
9. Thermostat, over temperature electric power off, safe and reliable



## Material

304 Stainless Steel

Item	Dimention		N.W	G.W
	Stand(cm)	Package(cm)	kg	
Pjdy-03	L1220*D700*H1815	1300*835*1990=2.16m <sup>3</sup>		228

# Stainless steel pet display cage pjzs-04

## Features

1. Unique sliding door lock design, automatic locking, good safety.
2. Pedal mesh and cage door high frequency and high current welding, strong without welding.
3. The whole round corners of the dirt plate are designed, no dead corners are left, convenient washing.
4. Internal seamless water retaining edge, more convenient and sanitary.
5. Lower cage movable drawing board design, drawing board can be turned into a large cage.
6. Toughened glass in the front
7. LED spotlight installed in the cage, energy saving and bright
8. Innovative design of cage, exquisite and chic. Optional combination, can be customized.

## Material

304 Stainless Steel



Item	Dimention		N. W	G.W
	Stand(mm)	Package(mm)		kg
pjzs-04	L2440*D700*H2185	1295*830*1765=1.9*2=3.8m <sup>3</sup>		422
		1295*830*1380=1.48m <sup>3</sup>		186

# Five pet hospital cages pjyy-05



## Features

1. The cage structure is reasonable, super-strong and durable.
2. Unique sliding design of door lock, automatic locking, good safety.
3. High frequency and high current welding of pedal grids and cage doors, strong and non-detachable.
4. Full rounded design of contamination plate, no dead corner, easy to wash.
5. Built-in seamless water retaining edge makes it more convenient and sanitary to use.
6. The lower cage movable pull-out board design, pull-out board can be changed into a large cage.
7. Bottom moving brake wheel, quiet, wear-resistant, easy to shift and fix.
8. Innovative cage design, exquisite and chic. Random combination, can be customized on demand.

## Material

304 Stainless Steel

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjyy-05	L1500*D700*H1575	1580*830*1760=2.3m <sup>3</sup>		225

# Four high-end cat boarding cage pjml-04



## Features

1. Cat cage has reasonable structure, super pressure and durability.
2. Unique sliding mute design of door lock, light voice, automatic locking, convenient and safe.
3. Each group has two upper and lower floors, each with an independent leisure area, a catering area and a health area.
4. Intermediate high-strength acrylic suction plate design, clean and hygienic.
5. There is no dead angle in the cage, which is made of full rounded corners.
6. Special anti-vibration and silence stickers are attached to the outside of the cage to reduce noise more quietly.
7. Bottom moving brake wheel, quiet, wear-resistant, easy to shift and fix.

## Material

304 Stainless Steel

Item	Dimention		N. W	G.W
	Stand(mm)	Package(mm)		kg
pjml-04	L1500*D650*H1765	1580*800*1950=2.46m <sup>3</sup>		270

# Multi-functional ICU pet cage



## Features

1. Convenient self-diagnostic and all the components are easy to be replaced.
2. Safer as a result of power supply failure protection and ventilation fan control.
3. Creating a friendly medical circumstance by Ultra Violet Sterilization, High Concentration Negative Ion Air Purification, Temperature and Humidity Control, Carbon Dioxide Monitoring and Removal, Oxygen Concentration and Medical Nebulizer.
4. Four separately controlled compartments provide specialized and individual cooling and heating.
5. Two medium compartments on top tier, one large compartment on bottom tier which could be divided into two medium compartments when needed.
6. Operating History Documenting Temperature, Humidity, CO2 Density and O2 Density, displayed in intuitive curves, providing up to 72 hours maximum tracking.

## Material

304 Stainless Steel

Item	Dimention		N. W	G.W
	Stand(mm)	Package(mm)		kg
	L1410*D840*H1900	1530*950*1980=2.88m <sup>3</sup>		

# Stainless steel oxygen cage for pets pjy-01



## Features

The box body is made of 304 stainless steel, the back is equipped with a vent, the door is made of transparent plexiglass, the door is equipped with an exchangeable air hole, equipped with a wet and dry thermometer and oxygen hole, the door lock is automatically locked, safe and convenient. Stainless steel mesh and movable dirt plate are provided below

## Material

The whole 304 stainless steel material, anticorrosive, acid-proof and rustproof, the structure is novel, clean, convenient and durable.

Item	Dimention		N. W	G.W
	Stand(mm)	Package(mm)		kg
pjy-01	L610*D745*H610/1410	850*800*890=0.6m <sup>3</sup>		85
		1485*880*925=1.21m <sup>3</sup>		143

# Exam table with cage pjz-08

## Features

The top of the cage is covered with 304 stainless steel, surrounded by stainless steel bars, and is not easily deformed. The desktop is about 4cm wider than the cage. It is convenient to be used as an operating clinic.

It can be loaded and can be made on demand!

## Material

Stainless steel 304 material ,anti-rust, Can be customized, Save space Easy to use.



Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjz-08	L800*W500*H800			

# Stainless steel square tube pet cage pjfg-01



## Features

The square tube cage can be assembled and assembled, and the cage door is equipped with automatic lock. The design is novel and convenient to use! Made of all 304 stainless steel, the cage frame has a thickness of 1.2mm and the stringer has a thickness of 1.0mm. It is equipped with stainless steel foot pedals and stainless steel dirt trays. There are movable brake wheels underneath, which is very convenient for moving and fixing.

## Material

Stainless steel 304 material

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjfg-01	L1200*W800*H1050			

# Stainless steel pet injection cage pjdz-01

## Features

The box body is made of 304 stainless steel, the back is equipped with a vent, the door is made of transparent plexiglass, the door is equipped with an exchangeable air hole, equipped with a wet and dry thermometer and oxygen hole, the door lock is automatically locked, safe and convenient. Stainless steel mesh and movable dirt plate are provided below




## Material

The whole 304 stainless steel material, anticorrosive, acid-proof and rustproof, the structure is novel, clean, convenient and durable.

Item	Dimention		N. W	G. W
	Stand(mm)	Package(mm)	kg	
pjdz-01	Extra Large: L1200*W460*H780 L: L970*W420*H680 S: L700*W360*H500	EL:1350*640*1010=0.87m <sup>3</sup> L:1130*600*930=0.63m <sup>3</sup>		96 80

# SUS304 dog bed



Bed size(cm)	S 68X55X15	M 90X60X15	L 102X69X15	XL 122X71X15
Mesh size(cm)	55x53	75x60	87x69	107x71
Max weight	85kg	80kg	75kg	70kg
Suggested weight	7.5kg	12.5kg	25kg	40kg
Unit price	22.5\$	27.5\$	29.5\$	34.5\$

# SUS304 dog bed



2\*1标准网面

Size	Mesh	Unit price
116x75x20cm	2*1	65\$

# Veterinary operating table pjs-01



## Features

The operation table is made of high quality 304 stainless steel, equipped with stainless steel movable net piece, can have the flat net and the circular arc net piece choice, USES the inclined support lifting bracket, the lifting is steady, the locking is firm, has the touch type lifting switch, the operation is simple, the whole equipment will anti-rust.

## Material

The whole 304 stainless steel material, anticorrosive, acid-proof and rustproof, the structure is novel, clean, convenient and durable.

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjs-01	L1300*W600*H450-1000	1580*690*550=0.6m <sup>3</sup>		89

# Veterinary operating table pjs-02



## Features

The operation table is made of high quality 304 stainless steel, equipped with stainless steel movable net piece, can have the flat net and the circular arc net piece choice, USES the inclined support lifting bracket, the lifting is steady, the locking is firm, has the touch type lifting switch, the operation is simple, the whole equipment will anti-rust.

## Material

The whole 304 stainless steel material, anticorrosive, acid-proof and rustproof, the structure is novel, clean, convenient and durable.

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)		KG
pjs-02	L1300*W600*H450-1000	1580*690*550=0.6m <sup>3</sup>		90

# Veterinary operating table (thermostat version) pjs-03



## Features

All stainless steel V-type thermostat operating table temperature between 0-60 degrees, automatic thermostat function, can adjust the required temperature at will, equipped with leakage protector, high temperature protector, safe use, the table surface is made of high-quality 304 stainless steel, equipped with stainless steel movable mesh, can choose flat mesh and arc mesh, using oblique support lifting bracket, lifting. Smooth descent, firm locking, with touch-type lifting switch, easy to operate, the overall equipment will anti-rust.

## Material

The whole 304 stainless steel material is anticorrosive, acid-proof and rust-proof, fast heating, safe and reliable, stable rising and falling, easy to use and high temperature safety protection.

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)		KG
pjs-03	L1300*W600*H450-1000	1580*690*550=0.6m <sup>3</sup>		90

# Veterinary operating table pjs-04

## Features

Stainless steel constant temperature bidirectional tilt operation table temperature 0-60 degrees, automatic constant temperature function, you can adjust the required temperature, built-in high temperature protector, safe and reliable. Table made of high quality 304 stainless steel, with stainless steel movable mesh, with binding artifact on both sides, simple and firm, convenient and practical, touch lifting switch, easy to operate, with binding artifact on both sides, simple and firm, operation table made of high quality 304 stainless steel, the overall equipment anti- rust.

## Material

High precision temperature control, solid material, rugged and durable, smooth lifting, simple operation, high temperature safety protection, simple and convenient buckle.



Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjs-04	L1500*W600*H760-1050	1600*700*940=1.05m <sup>3</sup>		


# DWV -11 type animal operating table pjs-05

## Features

1. DWV-11 animal operating table is composed of three parts: table, pin and base, equipped with operating instrument tray and infusion pole;
2. The height rise and fall of the operating table table is electrically controlled, and the middle is equipped with a moving water trough;
3. The left and right sides of the work table can be tilted to 0-45° respectively, which is manually operated by using the knob;
4. The operating table can be tilted 45° in front and back respectively, with automatic control;
5. The temperature adjustment range of the work table is 25-45 °C , and the automatic constant temperature function can adjust the required temperature at will;
6. Built-in high temperature protector, safe and reliable;
7. Equipped with binding artifact, simple and firm.

## Material

The national standard stainless steel 304 is anticorrosive, acid-proof and rustproof, with electric elevator, the performance is more stable.



Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjs-05	L1400*W650*H760-1060	1475*735*955=1.04m <sup>3</sup>		154

# C-arm operating table pjs-06

## Features

1. The C-arm operating table is composed of three parts: table, lifting bracket and platform base. It is equipped with surgical instrument disc and infusion stand.
2. The height of the operating table is controlled by electric motor.
3. Operating table can be tilted 45 degrees before and after operation, and operated electronically, weighing 40 kg on one side.
4. The whole machine has compact structure, reliable and reasonable performance and convenient operation.
5. Equipped with binding artifacts, free tightening, simple and firm.

## Material

The main body of the operating table is made of 304 stainless steel and the bed board is made of phenolic laminated cardboard, which has the characteristics of uniform density and good X-ray transmittance.



Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjs-06	L1500*W600*H760-1050	1575*700*955=1.05m <sup>3</sup>		

# Multi-layer equipment with socket load cart PJf-06



## Features

Equipped with sockets, easy to use, equipment space, durable, pet hospital must have!

## Material

The main body is made of 304 stainless steel. Optional universal brake wheel or fixed regulating foot at bottom.

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
PJf-06	L600*W650*H1580	1655*725*760=0.91m <sup>3</sup>		87

# Stainless steel multi-layer equipment trolley PJf-04



## Features

The equipment is large and durable, which is necessary for pet hospitals!!

## Material

The main body is made of 304 stainless steel with universal brake wheel or fixed adjusting foot at the bottom.

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
PJf-04	L545*W455*H1150			

# Stainless steel multi-layer equipment trolley PJf-05



## Features

Easy to use, large space for equipment placement, durable.

## Material

The main body is made of 304 stainless steel with universal brake wheel or fixed adjusting foot at the bottom.

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
PJf-05	L550*W550*H1500			

# Stainless steel grooming bathtub



## Features

Equipped with flushing faucet  
Provide tap to adjust hot and cold water  
L1300\*W740\*H900-1300mm  
304stainless steel  
pjx-01



## Features

Equipped with faucet/tap to  
adjust hot and cold water  
L1300\*W740\*H900-1300mm  
304stainless steel  
pjx-02



## Features

Equipped with faucet/tap to adjust hot  
and cold water/a pet dryer  
L1300\*W740\*H900-1300mm  
304stainless steel  
pjx-04

# Stainless steel grooming bathtub



## Features

Electrically controlled

L1300\*W740\*H1170-1600mm

pjx-06



## Features

SPA function/ control the strength and time of water bubbles.

/hot air function helps to maintain the original water temperature.

/equipped with a pet retaining ring

pjx-05

## Material

1.2mm 304 stainless steel

L1300\*W740\*H 900-1300mm

# Stainless steel wash sink



Foot base Hand wash sink pjxs-01

## Features

Equipped with foot water faucette and  
induction cleaner extruder box

L1200\*W600\*H1800

pjxs-01

Cage washing sink pjxp-01

## Features

The pet cage is specially designed for the  
washing of trays. Put the pet cage tray into the  
sink for quick and easy washing!

equipped with a high pressure flushing gun

L620\*W500\*H800mm

pjxp-01



# Stainless steel wash sink



## Cage washing sink pjxp-02

### Features

The pet cage is specially designed for the washing of trays. Put the pet cage tray into the sink for quick and easy washing!

equipped with a high pressure flushing gun

L620\*W500\*H800mm

## Cage washing sink pjxp-03

### Features

it is protected by water on three sides. Full rounded design for easy cleaning and filter water to prevent clogging!

L620\*W500\*H800/1100mm



# Pet disposal table



**Multi-functional pet disposal table  
pjc-02**

## Features

full round corners  
stainless steel filter  
one cabinet and three drawers.  
L1400\*W600\*H880mm  
304 stainless steel



**Wood frame wet disposal table pjc-m01**

## Features

The main part of the disposal table is made of wood. The table surface is made of 304 stainless steel.  
L1400\*W600\*H880mm



**Wood frame dry disposal  
table pjc-m02**


## Features

The main part of pet disposal table is made of wood, the table surface is made of marble.  
L1400\*W600\*H880mm

# Stainless steel pet B-mode ultrasonograph pjbc-01

## Features

The special stainless steel pet B-mode ultrasonograph for animal B-mode ultrasonograph is designed according to the practical application needs, which is more in line with the actual practical scene. The edge treatment is rounded, the size is customized, and the universal brake wheel is equipped to facilitate movement.



## Material

It is made of 8 nickel stainless steel materials, easy to clean and rust-free.

Item	Dimention		N. W	G.W
	Stand(mm)	Package(mm)	kg	
pjbc-01	L1100*W550*H700	1170*620*860=0.62m <sup>3</sup>		45

# Multi-functional electric lifting pet disposal table pjc-03



## Features

1. The table is composed of square pipe bracket, removable tray and removable mesh, which is clean.
2. The height of the disposal table is controlled by electric pedal, which is convenient to use.
3. Use stainless steel filter wool to prevent water leakage from blocking.
4. Can be used for cleaning teeth with pets, trauma treatment, reception, etc.

## Material

Convenient to use, clean and have various functions

Item	Dimension		N. W	G.W
	Stand(mm)	Package(mm)	kg	
pjc-03	L1200*W600*H750-1050	1285*685*900=0.79m <sup>3</sup>		86

# Multi-functional electric lifting table with a scale pjz-10

## Features

1. Table concave and round corner processing, convenient for cleaning and sanitation.
2. The height of the disposal table lifting using electric foot control, use square then.
3. Equipped with high-precision electronic weighing core.
4. Can be used for pet diagnosis and treatment, trauma treatment, reception, weighing, etc.

## Material

304 stainless steel, Convenient to use, clean and have various functions



Item	Dimention		N. W	G.W
	Stand(mm)	Package(mm)	kg	
pjz-10	L900*W500*H750-1050	975*575*900=0.5m <sup>3</sup>		77

# Multifunctional electric lift treatment table pjz-11



## Features

1. Countertop corner fillet treatment for easy cleaning.
2. The height of the table top is controlled by electric foot control, which is convenient for use.
3. Available for pet treatment, trauma treatment, and consultation.

## Material

304 stainless steel, Easy to use, clean and hygienic.

Item	Dimention		N.	G.W
	Stand(mm)	Package(mm)	W	kg
pjz-11	L900*W500*H750-1050			

# Column weighing and treatment table pjz-13



## Features

1. Countertop corner fillet treatment for easy cleaning.
2. Equipped with high-precision electronic scale.
3. The height lifting and lifting of the disposal table is controlled by electric foot pedal.
4. Available for pet treatment, trauma treatment, consultation, weighing, etc.

## Material

304 stainless steel, Easy to use, clean and hygienic.

Item	Dimension		N. W	G.W
	Stand(mm)	Package(mm)	kg	
pjz-13	L900*W500*H800			

# New column pet treatment table pjz-07



## Features

Made of 304 stainless steel, the table is flat, polished and decorated all around, the bottom is equipped with binding bracket, and the bottom of the weighted base is equipped with fine-tuning foot.

## Material

304 stainless steel, Sturdy, durable and smooth  
Easy to clean and clean.

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjz-07	L1100*W600*H800 L900*W500*H800	Small970*570*960=0.53m <sup>3</sup>		Smal l 80

# Ultra-thin electronic scales for pets pjd-01



## Features

1. 4 ideal design multi-sensor digital display, loadometer Standard, super plane, large dog weighing more convenient
2. Ultra-thin design, more beautiful surface drawing
3. Display intelligent weight determination, more flexible pet weighing
4. Made of high-quality 304 stainless steel, the weighing range is 0-150 kg

## Material

304 stainless steel

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjd-01	L1200*W600*H65	1270*675*230=0.2m <sup>3</sup>		48

# Stainless steel treatment table with drawers pjz-02



## Features

The universal brake wheel is equipped with a drawer, and the bottom plate is placed with items.

## Material

The overall 304 stainless steel material, anti-corrosion, acid-proof and rust-free, the bottom moving wheel uses high-strength polyurethane cool universal brake wheel.

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjz-02	L1100*W600*H800	1170*690*950=0.77m <sup>3</sup>		65
	L900*W500*H800	975*610*960=0.57m <sup>3</sup>		53

# Stainless steel thermostatic treatment table pjz-03



## Features

1. Work table temperature adjustment range 0-60 degrees!
2. Automatic constant temperature function, you can adjust the required temperature at will!
3. Built-in high temperature protector, safe and reliable, flat table!
4. Equipped with sink with dirt plate, easy to clean

## Material

The overall 304 stainless steel material, anti-corrosion, acid-proof and rust-free, automatic thermostatic, Easy to use, clean and hygienic.

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjz-03	L920*W520*H840	1080*595*980=0.63m <sup>3</sup>		60

# Stainless steel pet weighing clinic table pjz-04



## Features

Weighing, diagnosis and treatment of multi-functional table scales.  
Made of stainless steel, the surface is seamlessly connected and easier to clean.

## Material

The overall 304 stainless steel material, anti-corrosion, acid-proof and rust-free, weighing diagnosis and treatment, a multi-purpose, convenient and hygienic.

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjz-04	L1000*W550*H800	1070*620*960=0.64m <sup>3</sup>		

# Stainless steel corner pet examination table pjz-05

## Features

Made of 304 stainless steel, it has excellent quality, no rust, safe and hygienic and easy to clean.



## Material

The overall 304 stainless steel material, anti-corrosion, acid-proof and rust-free, flexible and can be customized.

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjz-05	L1100W*520*H770 L650W*300*H770			

# Stainless steel flat lifting table pjz-06

## Features

Electric lifting table top rounded corners Designed for ease of use and clean.



## Material

The overall 304 stainless steel material, anti-corrosion, acid-proof and rust-free.

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjz-06	L1300*W600*H450-1000	1575*690*555=0.6m <sup>3</sup>		80

# Stainless steel carbon transfer vehicle pjz-12



## Features

The product works in conjunction with an electric operating bed to facilitate the transfer of the intraoperative target and the diagnosis of X-rays. Electric lift, convenient and durable.

## Material

The bed board is made of carbon fiber and has the characteristics of uniform density and good X-ray transmittance. The stainless steel frame is sturdy and durable, with strong mechanical properties, wear resistance, high temperature resistance, impact resistance, solvent resistance, and drug resistance. It is moisture-proof, mildew-proof and easy to clean.

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjz-12	L1300*W600*H500-1000	1375*690*565=0.5m <sup>3</sup>		78

# Pet exam table pjz-09

## Features

The pet clinic table has a concave rounded design, which is convenient for cleaning and sanitation. It is equipped with a water outlet for pet cleaning. The drawer slides in the cabinet are made of stainless steel thickened rails.



## Material

Stainless steel 304 material ,Easy to use, clean and hygienic, necessary for hospitals.

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	KG	
pjz-09	L1400*W650*H850			

# Pet stretcher trolley pjdj-01

## Features

Table phenolic laminated cardboard material, pillar 304 stainless steel stainless steel is not rusty, silent mobile brake wheel! Desk can be disassembled, pushed, lifted!



## Material

The whole 304 stainless steel material is anti-corrosion, acid-proof and rust-proof. The movable table of the movable pulley is equipped with the movable brake wheel. The bed board is made of phenolic laminated cardboard with uniform density and good X-ray transmittance.

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjdj-01	L1300*W600*H850			

# Pet stainless steel stretcher pjdj-02



## Features

1. The main frame is made of thick 304 stainless steel pipe.
2. Thick cloth, can be cleaned.
3. DIY design, disassembly and assembly is more convenient.

## Material

304 stainless steel main material, thick fabric.

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjdj-02	L1200*W550			

# Stainless steel simple infusion table pjsy-01



## Features

Made of 304 stainless steel, the thickness of the table is 1.2mm, the thickness of the lower plate is 1.0mm, the thickness of the column is 30\*30 square tube is 1.2mm, the table top is equipped with railings, and the movable infusion stand is convenient to use with brake wheel or adjusting foot.

## Material

304 stainless steel material, Sturdy and solid, simple and beautiful, dry and hygienic, long service life.

Item	Dimention		N. W	G.W
	Stand(mm)			kg
pjsy-01	Large; L1100*W600*H800 Small: L900*W500*H800	Package(mm)		
		Large1180*670*990=0.78m <sup>3</sup>		Large 64

# Stainless steel acrylic paddle infusion table pjsy-02

## Features

The main body is made of 304 stainless steel material, and high-strength acrylic baffles are used on both sides, which can be put together in a row, clean and hygienic, beautiful and generous!



## Material

The overall 304 stainless steel material, anti-corrosion, acid-proof and rust-free, the acrylic baffle is more high-grade, and has a good isolation and mute effect.

Item	Dimention		N. W	G.W
	Stand(mm)	Package(mm)	KG	
pjsy-02	Large; L1100*W550*H800 Small: L900*W500*H800			

# Stainless steel glass baffle infusion table pjsy-03



## Features

Made of 304 stainless steel, frame 25 \* 25 square tube thickness 1.2mm with movable mesh and movable dirt tray, railing can be easily lowered, with movable tempered glass on both sides.

## Material

Left and right isolation, clean and hygienic, durable

Item	Dimention		N. W	G.W
	Stand(mm)	Package(mm)	KG	
pjsy-03	Large; L1100*W550*H800 Small: L900*W500*H800			

# Multi-functional infusion operating table pjsy-05

## Features

Made of 304 stainless steel, the thickness of the table is 1.2mm, the column 22\*22 square tube thickness is 1.2mm, it is equipped with movable infusion stand, movable mesh and movable railing. It is easy to use, and can be equipped with brake wheel or adjusting foot.

## Material

304 stainless steel, Reasonable structure, easy to use and versatile.



Item	Dimention		N. W	G.W
	Stand(mm)	Package(mm)		kg
pjsy-05	L1370*W600*H780			

# Stainless steel movable railing infusion table pjsy-06



## Features

Made of 304 stainless steel, the thickness of the table is 1.2mm, the column 22\*22 square tube thickness is 1.2mm, equipped with movable infusion stand, the movable railing is easy to use, and the brake wheel or adjusting foot can be selected.

## Material

304 stainless steel, The structure is reasonable and can also be used as a transmission desk and a diagnosis desk.

Item	Dimention		N. W	G.W
	Stand(mm)	Package(mm)		kg
pjsy-06	Large: L1100*W600*H780 Small: L900*W550*H780			

# Stainless steel animal dissection table pjj-01

## Features

Made of all stainless steel 304 material, the concave design of the countertop is equipped with stainless steel flushing basin and double flushing water faucet for convenient use. In order to ensure the brightness demand, it is equipped with high-brightness electric light, and the movable tray is equipped with a movable tray for convenient placement of surgical instruments.

## Material

The overall 304 stainless steel material, anti-corrosion, acid-proof and rust-free, reasonable structure, convenient and practical



Item	Dimension		N. W	G. W
	Stand(mm)	Package(mm)		kg
pjj-01	Large: L1600*W650*H800 Small: L1100*W550*H800	Large 1720*730*960=1.2m <sup>3</sup> Small 1210*650*935=0.74m <sup>3</sup>		Large 94

# Stainless Steel Surgical Tray Trolley pjf-01



## Features

The pet hospital special recommendation auxiliary platform is simple and convenient to use.

## Material


304 Stainless material

The rectangular design is simpler and the space is more economical.

The universal wheel is flexible and easy to idle.

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjf-01	L650*W430*H800			

# Stainless Steel Medical Trolley With Drawers pjf-02



## Features

With universal brake wheel Countertop Fence with drawers Multi-level display.

## Material

The overall 304 stainless steel material, anti-corrosion, acid-proof and rust-free, easy to use, safe and hygienic, can be customized.

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjf-02	L700*W450*H800	835*570*1010=0.48m <sup>3</sup>		46

# Stainless steel Adjustable Height Trolley pjf-03



## Features

Lifting function With rolling universal brake wheel Simple and practical without rust.

Supporting operating table Practical value.

## Material

Overall 304 stainless steel material, anti-corrosion, acid proof, anti-rust

Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
pjf-03	L880*W500H850-1400			

# Stainless steel pet binding frame pjb-01

## Features

The 25\*25 stainless steel 304 square tube is used as the skeleton, and the laminate is made of 304 stainless steel plate with a thickness of 1.0 mm. The movable cotton gauze is fixed on the upper side to protect the pet from injury.

## Material

The overall 304 stainless steel material, anti-corrosion, acid-proof and rust-free, simple appearance, easy to use, solid and solid, and strive for health.



Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)		kg
pjb-01	Large: L800*W500*H800 Small: L600*W450*H800			

# Stainless steel trash can pjlj-01

## Features

Made of all 304 stainless steel, detachable top cover.



## Material

The overall 304 stainless steel material, anti-corrosion, acid-proof and rust-free, easy to use, safe and hygienic, can be customized.

Item	Dimention		N. W	G. W
	Stand(mm)	Package(mm)	kg	
pjlj-01	L590*W590*H900			

# Pet ice mat pjq-04

## Features

Color:A variety of colors, can be customized for different colors.

Features natural cool anti-anti-bacterial deodorant waterproof.


Outer packaging color box, outer box

Don't need power supply and to refrigerate, automatic cooling, ready to use, cold, low carbon, environmentally friendly, recycling.

## Material

Outer bag material:nylon (polyester) silk spinning, composite PVC.

Content: sponge, water, CMC, etc.



Item	Dimention		N. W	G. W
	Stand(mm)	Package(mm)	kg	
pjq-04	L650*W500			



### Dog leash holder pjp-05

#### Features

Made of all stainless steel 304 .  
The inverted buckle design  
prevents the rope from falling off  
and is easy to use.  
Base 90mm\*90mm



### Stainless steel lead hanger

#### pjp-06

600\*550mm  
base 250\*250mm



### Stainless steel bronchial rack trachea pjp-08

diameter 25-140mm

# Stainless Steel Fold Up Wall-Mount Exam Table PJ-ZDA

## Features

Easily pull down from the wall when you use it.  
When you don't use it, push it on the wall easily.  
It only has a thickness of about 13 cm, saving valuable clinic space.  
The cement wall bears 75kg.

## Material

304 stainless steel material



Item	Dimention		N. W	G. W
	Stand(mm)	Package(mm)	kg	
PJ-ZDA	Countertop:L1120*W560 Base: 660*560mm	1670*780*500=0.65m <sup>3</sup>		90

# Pet grooming table



FT-812/813A

Item	Net weight (kg)	Gross Weight (kg)	Dimension (cm) WxDxH(cm)
FT-812HA	15.8	17.9	90X60X81-93
FT-813HA	20.1	22.1	120X60X81-93



FT-805 Hydraulic

Item	Net weight (kg)	Gross Weight (kg)	Dimension (cm) WxDxH(cm)
<b>FT-805</b>	22.5	25	φ70x71.5-86H



Air Lift FT-831

Item	Net weight (kg)	Gross Weight (kg)	Dimension (cm) WxDxH(cm)
FT-831	21.5	23.5	φ60X70-110

# Pet grooming table



FT-805C hydraulic

Item	Net weight (kg)	Gross Weight (kg)	WxDxH(cm)
FT-805C	35	38.5	φ70x78.5-93H



Item	Net weight (kg)	Gross Weight (kg)	WxDxH(cm)
FT-804	46	49.7	96X65X51.5-101
FT-804L	48.2	52.7	126X65X51.5-101
FT-804E	46	49.7	96X65X65.5-106
FT-804LE	49.2	53.7	126X65X65.5-106



FT-823

Item	Net weight (kg)	Gross Weight (kg)	WxDxH(cm)
FT-823	42	44	130X61X28-93

# Pet grooming table



FT-833



FT-899 electric lift



FT-832 air lifting

Item	Net weight (kg)	Gross Weight (kg)	WxDxH(cm)
FT-823	42	44	130X61X28-93
FT-833	50	52	130X61X31-113

Item	Net weight (kg)	Gross Weight (kg)	WxDxH(cm)
FT-899	64	67	125X65X27-123

ITEM	N.W.(kg)	G.W.(kg)	Dimension(cm)
FT-832	16	17	60*45*72-110

# Pet dryer( blower )

## NBF902



### Features

- The unit has a 3 meters puncture-resistant, triple reinforced, flexible hose with four nozzles options, air focusing and air flaring, to handle all-size pets and all coats.

### Material

Iron, Pu, Plastic  
Color:Black Yello Pink

## HB1001



### Features

- Infinitely variable, temperature control and powerful wind speed.
- Great for any store and home with a pet, super power is 2800W.
- Insulated for quiet operation.

### Material

Iron, Pu, Plastic  
Color:Orange Yellow Black

## HB1002



### Features

- Infinitely variable, temperature control and powerful wind speed.
- Great for any store and home with a pet, super power is 2800W.
- Insulated for quiet operation.

### Material

Iron, Pu, Plastic  
Color:Silver

# Pet dryer( blower )

HB1003



## Features

- Infinitely variable, temperature control and powerful wind speed.
- Great for any store and home with a pet, super power is 2800W.
- Insulated for quiet operation.
- Washable filter and easy to replace.

## Material

Iron, Pu, Plastic  
Color:Orange Yellow  
Black

HB1006



## Features

- Insulated for quiet operation.
- Powerful 8 levels speed and safe brush motor.
- Advanced LED screen and functional button to adjust air flow and heating temperature.
- Revolutionary centrifugal impeller technology.

## Material

Iron, Pu, Plastic  
Color:Orange Silver

HB1008



## Features

- Insulated for quiet operation.
- Powerful infinitely variable speed and safe brush motor.
- Revolutionary centrifugal impeller technology.

## Material

Iron, Pu, Plastic  
Color:Orange  
Silver

## U1S


宠物护理室  
PET CARE ROOM

第四代  
4 GENERATION



### 规格/SPECIFICATION

外部尺寸 EXTERNAL DIMENSIONS	W990×D715×H930 mm	
内部尺寸 INTERNAL DIMENSIONS	W860×D483×H674 mm	
机器重量 MACHINE WEIGHT	92	Kg
额定功率 RATED POWER	2550	W
风机数量 NUMBER OF FANS	6	pcs
风嘴数量 NUMBER OF NOZZLE	32	pcs
热传导器 NUMBERS OF PTC	4	pcs
额定电压 RATED VOLTAGE	110V 60Hz / 220V 50Hz	
适用宠物 SUITABLE BREED	2只体重约20kg的中型犬或者一只30kg大型犬 Two small size breeds less than 20kg or one 30kg large breed	



Pet Vacuum machine

Voltage:220volt

Power:700w

Machine size:600\*460\*460mm

Storage capacity size:4.5L

# LED operating light

KDK5(孔式)



## Features

Illuminance:40000-100000Lux

KYK5(孔式)



## Features

Illuminance:40000-100000Lux

KDLED700/500



## Features

- LED700 LED500
- Illuminance(adjustable)
- 40,000-180,000Lux
- 30,000-160,000Lux

# LED operating light

KDLED700



## Features

Illuminance(adjustable)  
40,000-180,000Lux

KDLED5+3(improved)



## Features

Illuminance:  
40,000-180,000Lux  
30,000-160,000Lux

KDLED5(improved)



## Features

Illuminance:  
40,000-180,000Lux

# LED operating light

KDLED3(improved)



## Features

Illuminance:  
30,000-160,000Lux

KYLED5(移动式改进型)



## Features

Illuminance(Lux):  
40,000-180,000Lux

KYLED3(移动式改进型)



## Features

Illuminance(Lux):  
30,000-160,000Lux

# LED operating light

KDLED500



## Features

Illuminance:  
30,000-160,000Lux

KYLED700(stand type movable)



## Features

Illuminance(adjustable):  
40,000-180,000Lux

KYLED500(stand type movable)



## Features

Illuminance:  
30,000-160,000Lux

# LED operating light

KDLED700/500(集成光源)



## Features

Illuminance(adjustable)  
160,000Lux 120,000Lux

KDLED700(集成光源)



## Features

Illuminance(adjustable)  
160,000Lux

KDLED500(集成光源)



## Features

Illuminance(adjustable)  
160,000Lux

# LED operating light

KDLED200吊式



## Features

Illuminance(adjustable)  
30000Lux

KYLED200(movable)



## Features

Illuminance(adjustable)  
30000Lux

KYLED200(Economic)



## Features

Illuminance(adjustable)  
30000Lux

# LED operating light

KDLED200



## Features

Illuminance(adjustable)  
30000Lux

KDZF700/700



## Features

Illuminance(adjustable)  
40,000-180,000Lux  
40,000-180,000Lux

KDZF700/500



## Features

Illuminance(adjustable)  
40,000-180,000Lux  
35,000-160,000Lux

# LED operating light

KDZF700/500(直臂式)



## Features

Illuminance(adjustable)  
40,000-180,000Lux  
35,000-160,000Lux

KDZF700



## Features

Illuminance(adjustable)  
40,000-180,000Lux

KDZF500



## Features

Illuminance(adjustable)  
35,000-160,000Lux

# LED operating light

KYZF500(移动电源型)



## Features

Illuminance(adjustable)  
40,000-180,000Lux

KDZF500 (overall reflection)



## Features

Illuminance(adjustable)  
35,000-160,000Lux

KDZF500 (直臂移动)



## Features

Illuminance(adjustable)  
35,000-160,000Lux

## Single Arm surgical pendant KDD-4



### Features

Horizontal rotation angle:0-340°

Net loading capability:≤80kg

Standard gas outlets:2 Oxygen,2 Vac

Electrical sockets:8pcs

Equipment tray:2pcs

Infusion stand:1

Material : Aluminum Alloy

### Features

Horizontal rotation angle:0-340°

Net loading capability:≤80kg

Standard gas outlets:2 Oxygen,2 Vac

Electrical sockets:8pcs

Equipment tray:2pcs

Infusion stand:1

Material:Aluminum Alloy



Single Arm surgical pendant KDD-6

## Single Arm surgical pendant KDD-9



### Features

Horizontal rotation angle:0-340°

Medical gas outlets:2 Oxygen,2  
Vac,2AIR

Load capability:≤80kg

Electrical sockets:8pcs

Life stroke:300mm

Equipment tray:2pcs

Infusion stand:1

### Features

Horizontal rotation angle:0-340°

Medical gas outlets:2 Oxygen,2  
Vac,2AIR

Load capability:≤80kg

Electrical sockets:8pcs

Life stroke:300mm

Equipment tray:2pcs

Infusion stand:1

Material:Aluminum Alloy



Single Arm surgical pendant KDD-10

# Pet hydrotherapy underwater treadmill PJ-1901



## Features

Windows :speed, time, distance calories, program;

Function : running training underwater , heating ,Water Cycle function

Speed:1.0-10.0km/h

AC frequency conversion motor, 1500W

Max Loading weight :100kgs

Thickness of running belt:2.5mm

## Material

stainless steel material

Item	Dimention		N. W	G. W
	Stand(mm)	Package(mm)	kg	
PJ-1901	1950*750*960 Running area:1630*630mm	2130*820*1040=1.82m <sup>3</sup>	260	295

# Pet hydrotherapy underwater treadmill PJ-1902



## Features

Function : running training underwater , heating ,Water Cycle function

Speed:0.8-12km/h

Power :3HP

Max Loading weight :200kgs

Thickness of running belt:2.2mm

## Material

stainless steel material

Item	Dimention		N. W	G. W
	Stand(mm)	Package(mm)	kg	
PJ-1902	L1620*W620*H910mm Running area:530x1320mm	1760*715*1020=1.28m <sup>3</sup>	/	201

# Pet hydrotherapy underwater treadmill YS-C280/380/480



## Features

Function : running training underwater , heating ,Water Cycle function

Speed:0.8-12.0km/h

Power :1.75HP

Thickness of running

belt:1.6mm

## Material

stainless steel material



Item	Dimention		N.W	G.W
	Stand(mm)	Package(mm)	kg	
YS-C280	L1320*W550*H820mm Running area:1070*406mm			
YS-C380	L1580*W610*H1000mm Running area:1300*470mm	380 164 × 69 × 89 cm=1.007	134	165
YS-C480	L1890*W630*H1370mm Running area:1600*470mm			
YS480-K	L1620*W620*H910mm Running area:530x1320mm		/	201

# Treadmill



PJ-605

## Features

Speed:1.0-16.0km/h

AC electric motor,AC Drive,

14KM, LED display,

remote&hand control

2000\*620

Running area:1700\*460

Packing:2070\*680\*310=0.44m<sup>3</sup>



PJ-606

## Features

AC motor, AC converter

LED console display speed,distance,time

Remote control and manual control

Safety key

Music play

Input:220V 50-60Hz

Motor:1.5HP

Speed:1.0-16km/h

2350\*670

Running area:2010\*520

Packing:2370\*810\*290=0.56m<sup>3</sup> 89/99kg

## Features

Pet Toys

Materials:Silicon dioxide

Φ 1000mm 280mmwide

running area 215mm

PJM-008

MOQ:1unit





UC-1801

## Features

- Accurate Temperature Control—Being Equal Everywhere
- Accurate Humidity Control—Healthy and Balanced
- Negative-ion Generation—Truly Auxiliary Medical Effect
- Sterilization Function—Free From Cross-contamination
- Medical Atomization Treatment Function—Making the Treatment More Convenient
- Carbon Dioxide Concentration Monitoring System—A Defense Line to Guard Life
- ICU Illumination Function—Creating A Comfortable Therapeutic Environment
- Setting of Security Mechanism—No Worries in Use
- Human Oriented Structural Design—Reasonable Operation, Clean and Convenient



UC-1803



# Veterinary Automatic Air Warming system

Various temperature protection technology for safe and effective heating

23°C-43°C range setting, °C&F unit convert Deviation  $\leq \pm 0.1^\circ\text{C}$  (the heating exit)

5 level temperature quick button for convenient setting

Imported fan, stable and quiet, 8 level air volume adjustable Air disinfection function

Big LCD screen, complete and intuitive display

More than 1000 history log

8 level alarm volume adjustable

Accept single or multiple use warming blanket



## Features

\*Temperature: 5°C-28°C

\*Humidity: Maximum relative humidity 80%

\*Minimum relative humidity: 35%

\*Altitude: Maximum 3200m

SHPJ01





## Veterinary Syringe Pump HF-710C

1. Breakthrough Half-pressing technique
2. Patented "Double Pulse" compensation technique
3. Double CPU system
4. Historical record function



## Veterinary Infusion Pump HF-610C

275\*145\*160mm

1. Breakthrough Half-pressing technique
2. Patented "Double Pulse" compensation technique
3. Double CPU system
4. Different modes: Delivery rate, delivery time, Patient Weight, Dripping Rate.
5. Historical record function
6. Alarm for door open



Veterinary infusion pump  
HF-620C

290\*155\*225mm

1. Breakthrough Half-pressing technique
2. Patented "Double Pulse" compensation technique
3. Double CPU system
4. Historical record function



Veterinary Fluid Warmer HF-110C

Voltage:110-240V

1. Compact size, better appearance
2. More accurate temperature control
3. Easy to use and operate without training
4. 35°C-42°C temperature range adjustable
5. Warming up time  $\leq 2$ min

# Veterinary monitor



PJJH-03

500 g- 240 kg pets;

Blood pressure ;

Core imported chip technology

Precise and portable breathing

terminal carbon dioxide Technology;

Invasive blood technology

M100-V

measure oximeter, blood pressure,  
temperature, pulse rate

